

DS-KDM9633-FKP Sub Module



- Keypad & Fingerprint module for KD9633 series door station
- 5000 high fingerprints capacity
- Backlight compensation behind the keypad
- IP65 & IK07 high protection level
- Easy to use and extend


▪ Specification

Display parameters	
Operation method	/
Video parameters	
Wide dynamic range (WDR)	/
Supplement light	/
Audio parameters	
Audio input	/
Capacity	
Fingerprint capacity	5000
Device interfaces	
RS-485	/
USB	1 USB type-C, only connect to KD9633
General	
Button	15 physical buttons
Installation	Surface mounting and flush mounting
Weight	Net weight: 0.335 kg Gross weight: 1.631 kg
Protective level	IP65 and IK07
Working temperature	-30 °C to 60 °C (-22 °F to 140 °F)
Working humidity	10% to 90% (no-condensing)
Dimension (W × H × D)	74 mm × 159.2 mm × 29.2 mm (2.9" × 6.3" × 1.1")
Power supply	5 VDC, 0.5 A
Application environment	Outdoor
Material	Aluminum alloy and plastic

▪ Available Model

DS-KDM9633-FKP

▪ Dimension



Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com



Follow us on social media to get the latest product and solution information.

